


viking yachts



**EFFECTIVE ON DELIVERIES
JANUARY 1, '87 THRU JULY 31, '87
PRICES SUBJECT TO CHANGE
WITHOUT NOTICE**

viking 41' convertible specifications

41' CONVERTIBLE SPECIFICATIONS('')

Length, overall (L.O.A.)	41'2"	12.70 meters	Freeboard, forward	5'8" 1.70 meters	
Length, overall (including Bow Pulpit)	45'4"	12.83 meters	Freeboard, aft	3'4"	1.00 meters
Waterline length (L.O.W.)	36'0"	10.98 meters	Height, waterline to top of flybridge windshield	12'0"	3.66 meters
Beam	14'10"	4.50 meters	Gross Weight, approx. ¹⁰¹	32,000 pounds ...	14,615.20 kilos
Deadrise (Transom)	15.5°	15.5°	Fuel Capacity	430 gallons	1,628.00 liters
Draft	4'3"	1.3 meters	Water Capacity ^(B)	160 gallons	605.00 liters

STANDARD EQUIPMENT

CONSTRUCTION

- Hand laid-up, molded fiberglass hull, deck, deckhouse and flybridge w/end-grain balsa core in hull sides, decks and cabin top
- Solid keel, strokes and chines

MECHANICAL

- Acoustical and thermal insulation
- Air conditioning, zoned w/reverse cycle heat
- Ball-type fuel valves
- Bilge pumps 131
- Dockside water connection, w/pressure reducing valve
- Engine room blowers
- Engine stringers, structural steel rectangular tube
- External see strainers
- Fresh water fill hose, engines and generator
- Fuel lines, flexible aircraft type
- Fuel manifold w/crossover valves
- Fuel tanks, reinforced fiberglass
- Fuel/Water separator filters
- FWC, propulsion-engines, generator
- Halon fire protection system, automatic & manual
- Holding tank w/dockside and overboard pumpout
- Hot water heater
- Hour meters
- Hydraulic steering
- Mufflers, engines and generator
- Oil changing system, engines and generator
- Propellers, Nibral (diesel only)
- Rudders, manganese bronze
- Seacocks, under water thru-hulls
- Shafts, stainless steel, double taper, Aguamet 22
- Structural steel engine beds
- Struts, manganese bronze
- Trim tabs, double piston
- Twin engines, w/reduction gearing
- Water lines, copper
- Water system, pressurized
- Water tanks, sanitized fiberglass, constant trim

ELECTRICAL

- Anchor light
- Batteries, heavy duty 1 2V w/fiberglass box
- Battery charger
- Battery paralleling switch (diesel only)
- Bilge blowers
- Bonded electrical system w/ground plate
- Color coded wiring system
- Engine water temperature alarm, audible
- Engine room lights
- Generator(R)
- Generator control panel (diesel only)
- Instrument panel lights
- Lighting, 12V/120V throughout
- Low oil pressure, audible
- Master control panel fAC/DC circuit breakers, voltmeters, ampmeters)
- Navigation lights
- Receptacles, 120V duplex
- Reverse polarity light

- Vaporproof battery switches
- 30.41120V dockside w/one 50' cord
- 50A/240V dockside w/one 50' cord

FLYBRIDGE

- Bimini top Ai/full enclosure, w/three horseshoe openings
- Dual lever controls
- Forward and side seating w/cushions
- Forward locker
- Handrails
- Helm cover on boats w/o FBHT
- Helm seat and companion seat, adjustable
- Hydraulic steering
- Instrumentation, lighted
- Lighted compass
- Molded fiberglass
- Safety monitoring system: fire, bilge pump, high bilge water, high exhaust temperature, bilge blower, generator and synchronizer
- Storage under seats, side only
- Windshield, venturi-type w/grab rail

COCKPIT

- Boarding box, fiberglass w/teak top
- Cable TV and telephone connection
- Dockside electric and water connection
- Fresh water washdown
- Ladder, one-piece to flybridge
- Molded fiberglass
- Recessed cleats and hawse pipes
- Recessed fish boxes
- Rod holders 141
- Sea water washdown
- Self bailing cockpit
- Tackle cabinet w/sink and ice chest

SALON

- Bar w/icemaker
- Carpeting throughout
- Engine access hatches
- Entertainment system, w/coior TV w/antenna, AM/FM stereo and cassette tape deck
- Hi-Lo table (on Two Stateroom Modell
- L-shaped lounge
- Lighting, 1 20V w/dimmer
- Mini blinds
- Sliding salon door
- Sliding side windows w/screens
- Storage cabinets
- Teak grab rail
- Teak interior
- Upholstery and drapes, professionally designed

GALLEY

- Electric range, 3-burner
- Exhaust fan
- Instant hot water
- Microwave/Convection oven
- Refrigerator/freezer (13 cu. ft.)
- Single lever hot and cold faucet
- Silverware and utensil drawers
- Sink, stainless steel
- Storage bin

- Storage cabinets and drawers
- Vinyl flooring
- Water filter
- Water level gauge
- Water pump light

DINETTE

- Lamp, 120V
- Storage bins under seats
- Storage locker
- U-shaped upholstered lounge w/teak table, converts to double bed

MASTER STATEROOM INTERIOR

- Berth lights, 12V
- Carpeting throughout
- Drapes
- Drawers
- Hanging locker
- Hatch, w/screen
- Indirect lighting
- Large double bed
- Mirror
- Stereo speakers
- Storage lockers
- Vinyl headliner

GUEST STATEROOM (TWO STATEROOM MODEL)

- Berth covers
- Berth lights, 1 2V
- Carpeting
- Drawers
- Hanging locker
- Stereo speakers with controls
- Upper and lower berths
- Vinyl headliner

HEAD

- Drapes
- Electric toilet
- Exhaust fan
- Medicine cabinet
- Mirror
- Receptacle, 1 20V ground fault
- Shower light
- Stall shower
- Vanity w/sink and storage

SAFETY & MISCELLANEOUS

- Anchor
- Anchor rode, 200' ', '," nylon
- Anti-fouling bottom paint
- Bow pulpit
- Bow rail
- Central vacuum
- Depthfinder
- Dual air horns
- Fire extinguishers 13)
- Halon fire protection system, automatic & manual
- Knotmeter
- Screens on all opening windows
- SSB grid
- Tempered glass, all windows
- VHF radio orlantenna
- Zincs on rudders

41' Convertible(A)


Twin Crusader, (Gas)	235,000	Twin G.M.6-71STI	296,000
Twin Caterpillar, 3208TA	286,000		

OPTIONAL EQUIPMENT^{1)c}}


Canvas		Lights	
Helm chair covers (2)	180	Cockpit, indirect	345
Salon carpet runner	180	Cockpit, spreader	440
Salon furniture covers	640	Docking	635
		Remote spotlight	1,680
Decor		Paint, Micron bottom paint	
Custom decor	6,600		1,110
Decor kit, mini (Dinette)	2,115	Fanlights (Each)	
Decor kit, maxi (Dinette)	3,210		130
Decor kit, mini (Stateroom)	1,675	Propellers (Spare)	
Decor kit, maxi (Stateroom)	2,970	Gas	1,130
Pillow shams (2)	320	Diesel	1,680
Quilted bedspread (MSR)	700	Shaft (Spare)	
Salon chair (Upholstered)	775		1,350
Sleep sofa w/rod storage	450	Stereo Speakers, Flybridge	
Teak parquet galley sole w/teak faced refrigerator	1,285		305
		Swim Platform	
		Swim ladder	250
		Teak Rod Racks	
			130
Electricar		Television/Telephone	
1 20 volt duplex receptacles	75	Additional outlets (Each)	115
1 20 volt weatherproof receptacles	165	VCR (Built-in)	
1 2 volt weatherproof receptacles	125	Beta	730
		VHS	950
Electronics¹		Washer & Dryer (Dinette Model Only)	
Fender Racks	670		2,040
Fishing Equipment		Water Delivery kieⁿ	
Center rigger ^{o)}	525		425
F/B rod rack	350	Windlass	
Outriggers, Rupp w/spreaders	3,675	Model A, Chrome Capstan w/1200' %" line	1,525
Cockpit freezer in lieu of ice chest	1,250	Model ACW, Chrome Capstan	2,150
Fish door	1,760	Chain for ACW (per ft.)	6
Flybridge, Integrated Electronics Console^{o)}	2,460	Windshield, Tempered Glass, Three-Piece	
Foredeck Seat w/cushions and cover	3,760		4,970
Garbage Disposal	380	Y-Valve Emergency Bilge Pumps 12)	
Glendinning Automatic Synchronizer	1,420		820
Hardtop, Flybridg³	8,490	Cradle, Launch and Make Ready,	
Heater, Electric (Each)	235	Fuel and Freight	1E1Additional
Lettering		Interior Decor Selection:	
Transom	270	<input type="checkbox"/> Mauve & Melon <input type="checkbox"/> Creme de Menthe <input type="checkbox"/> Coral Sand	
Bow	210	<input type="checkbox"/> Misty Blue <input type="checkbox"/> Graphics <input type="checkbox"/> Custom	
		Paint Selection:	
		<input type="checkbox"/> Blue <input type="checkbox"/> Burgundy	

NOTES

- A The right is reserved to make changes, without notice, at anytime, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.
- B Capacities of tanks are estimates and usable volume will vary depending upon conditions.
- C These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.
- D Weight shown is calculated with fuel, water and holding tanks empty.
- E Prices available through dealer.
- G Includes overhead electronics console, full enclosure w/3 forward horseshoe openings, cockpit flood lighting and credit for standard bimini top and enclosure.
- H Includes credit for standard.
- K Requires F/B hardtop.
- L Includes additional 55 gallon water capacity.
- N Includes mooring lines (5), life jackets (6 adult, life ring (21"), flare kit, fenders: 1 O" (2), engine oil (5 gal.) A.T. Fluid (2 qts.) (Gas), deck mop, deck brush, bucket, hose, nozzle, fuel filters: engines and generator, raw water pump impeller for main engine (1), Boat Soap (1 qt.) and Bilge Cleaner (1 qt.).
- O Special electronics packages available for factory installation. See electronics brochure for details.
- R Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.



DINETTE



STATEROOM

VIKING ONE YEAR LIMITED WARRANTY

1. Viking warrants to the original purchaser, for a period of One (1) year, from the date of delivery, Eighteen (18) months from the date of shipment from the factory, or upon completion of Two Hundred (200) hours of operation, whichever ever comes first, the following:

That Viking will, through the selling dealer, replace or repair, at the discretion of Viking, any part or component, manufactured by Viking which is proven to the satisfaction of Viking to be defective, and which has occurred under normal use and service within the warranty period.

This writing is meant to be a complete and exclusive statement of the terms of all Viking warranties.

2. THERE ARE NO OTHER WARRANTIES EXPRESS OR IMPLIED THAT EXTEND BEYOND THE FACE OF THIS INSTRUMENT. VIKING RESTRICTS ITS WARRANTY TO REPAIR OR REPLACEMENT IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED. VIKING SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES CAUSED AS A RESULT OF ANY DEFECT IN WORKMANSHIP, REPAIR OR REPLACEMENT. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

3. Viking invites any purchaser to inspect the vessel before purchase, with any experts (mechanical or otherwise) to determine to the purchaser's satisfaction, the condition of the vessel prior to purchase.

4. The dealer is not the agent of Viking and Viking does not authorize the dealer, or any other person, to assume for Viking any liability in connection herewith or any liability or expenses incurred in the repairing of its product other than those expressly authorized herein. After an authorized dealer has been assigned by Viking for warranty work, reimbursement for labor costs provided by the dealer under the Viking warranty will be based upon a rate and schedule established by Viking. This reimbursement shall be through the selling dealer.

5. Viking reserves the right to improve its products through change and design or material without obligation to incorporate such change in boats of prior manufacture. Viking does not have a model year as such, and changes are incorporated in boats by the manufacturer as same are constructed from time to time. Viking does not warrant or represent that a particular boat is of a particular model year.

6. The defect must be reported to Viking in writing within Thirty (30) days of the discovery of same with the following information:

- la/ Owner's name and address;
- lb/ Boat serial number (hull number);
- lc/ Information as to nature of defect;
- ld/ Date actually placed in service;
- le/ Accumulated hours of days of service.

All warranty notice and other necessary communications in connection with this warranty should be sent to the following address:

Viking Yacht Company
Route 9
On the Bass River
New Gretna, New Jersey 05224

- 7. You may inquire regarding warranty coverage, etc., by means of the following:
 - la) Contacting the Viking dealer from which you purchased your Viking for an inspection of the problem involved.
 - lb) Delivering your Viking to the selling dealer for an examination on the premises.
 - lc) Contact the company at the above-mentioned address.

B. All warranty claims for engines shall be presented directly to the engine manufacturer. Correspondence to the engine manufacturer shall include the engine serial number, date of purchase, dealer from whom purchased, accumulated hours, and description of the alleged defects. Copies of all correspondence shall be forwarded to Viking at the time of the original transmittal of same. Viking passes on any and all warranties of products or components which are not of Viking's manufacture and any warranty provided by the manufacturer is assigned to the owner, if possible.

9. Viking will not be responsible for any damage to a vessel, or parts thereof, which have been subjected to abuse or neglect, faulty installation by personnel not directly employed by Viking, lack of, or improper maintenance, or failures caused by accident,

- 10. This warranty shall not apply to:
 - la) Products or components not manufactured by Viking.
 - lb) Parts altered in any manner from original manufacture.
 - lc/ Fuel consumption or performance characteristics because they are merely estimates.
 - ld) Varnishes, gelcoats, paints, fabrics, chromium plated and stainless steel finishes because of differing climactic conditions.
 - is) Others than the first owner.
 - lf) Yachts in commercial use.
 - Wl Electronics or electronics installation.
 - lh) Canvas, enclosure or bimini installations.