

viking yachts

NIATTITUCK INLET MARINA
Mil Road
KATTITUCK, NEW YORK 11952
ISA (516) 298-4480



EFFECTIVE ON DELIVERIES
JANUARY 1, '87 THRU JULY 31, '87
PRICES SUBJECT TO CHANGE
WITHOUT NOTICE

viking 44' motor yacht specifications

44' MOTOR YACHT'

Length, overall (L.O.A.)	44'0" ...	1 5.24 meters	Height, waterline to top of flybridge windshield	12'5"	3.78 meters
Length, overall (including Bow Pulpit)	48'2" ...	1 6.44 meters	Height, waterline to top of hardtop arch	14'6"	4.42 meters
Waterline length (L.O:W.)	37'10"	1 4.73 meters	Deadrise (Transom)	15.5°	15.5°
Beam	15'0" ...	4.57 meters	Gross Weight, approx."	40,000 pounds	1 8,144.00 kilos
Draft	4'0" ...	1.22 meters	Fuel Capacity	460 gallons	1,741.00 liters
Freeboard, bow	5'8" ...	1.77 meters	Water Capacity ^{1a1}	180 gallons	681.30 liters
Freeboard, stern	4'4" ...	1.32 meters			

STANDARD EQUIPMENT

CONSTRUCTION

- Hand laid up, molded fiberglass hull, deck, deckhouse and flybridge w/ind-grain balsa core in hull sides, decks and cabin top
- Solid keel, strokes and chines

MECHANICAL

- Acoustical and thermal insulation
- **Air** conditioning, zoned w/reverse cycle heat
- Bilge pumps (3)
- Dockside water connection w/pressure reducing valve
- Engine room blowers
- External sea strainers
- Freshwater fill hose engines and generator
- Fuel lines, flexible aircraft type
- Fuel manifold w/crossover valves
- Fuel tanks, reinforced fiberglass
- Fuel/water separator filters
- FWC propulsion engines, generator
- Halon fire protection system, automatic and manual
- Holding tank w/dockside and overboard pumpout
- Hot water heater
- Hour meters
- Hydraulic steering
- Intermediate struts, manganese bronze
- Mufflers, engines and generator
- Oil exchange system, engines and generator
- Propellers, Nibral (diesel only)
- Rudders, manganese bronze
- Seacocks, underwater thru hulls
- Shafts, 2" stainless steel, double taper, Aquamet 22
- Structural steel engine beds
- Struts, manganese bronze
- Trim tabs, double piston
- Twin engines w/reduction gearing
- Water line, copper
- Water system, pressurized
- Water tanks, sanitized fiberglass, constant trim

ELECTRICAL

- Anchor light
- Batteries, heavy duty w/fiberglass box
- Battery charger
- Battery paralleling switch
- Bonded electrical system with ground plate
- Cable TV and telephone connection
- Color coded wiring system
- Engine room lights
- Engine water temperature alarm, audible
- Generator/RI
- Generator control panel, (diesel only)
- Instrument panel lights
- Lights, interior, 1 20V and 12V throughout
- Low oil pressure, audible
- Master control panel (AC/DC circuit breakers-voltmeters-ampmeters)
- Navigation lights
- Receptacles, 1 20V duplex
- Reverse polarity light
- Vaporproof battery switches
- 30A/120V dockside w/one 50' cord

- 50A/240V dockside w/one 50' cord

FLYBRIDGE

- Bimini top w/full enclosure & three horseshoe openings
- Dual lever controls
- Handrails
- Helm seat and companion seat, adjustable
- Hydraulic steering
- Instrumentation, lighted
- Lighted 5" compass
- Lounge seats (two w/vinyl covered foam cushions)
- Molded fiberglass
- Safety monitoring system: fire, bilge pump, high bilge water, high exhaust temperature, bilge blower, generator and synchronizer
- Stereo speakers w/controls
- Storage lockers
- Storage under seat, side only
- Windshield, venturi-type w/grab rail

SALON

- Bar w/icemaker
- Carpeting throughout
- Engine access hatches
- Entertainment system, w/color TV w/antenna, AM/FM stereo and cassette tape deck
- L-shaped lounge, convertible
- Lighting, 1 20V w/dimmer
- Main electrical panel
- Mini blinds
- Remote generator control
- Sliding side windows w/screens
- Storage cabinets
- Teak grab rail
- Teak interior
- Upholstery and drapes, professionally designed

GALLEY

- Electric range, 3 burner
- Exhaust fan
- Garbage disposal
- Hatch w/screen
- Instant hot water
- Microwave/Convection oven
- Refrigerator/freezer
- Single lever hot and cold faucet
- Sink, stainless steel
- Storage bin
- Storage cabinets and drawers
- Vinyl flooring
- Water filter
- Water level gauge
- Water pump light

DINETTE

- Hatch w/screen
- Portlight w/screen
- Storage bins under seats
- Storage locker
- U-shaped upholstered lounge w/teak table, converts to double bed

MASTER STATEROOM

- Carpeting throughout
- Drapes
- Drawers and cabinet storage

- Hanging lockers
- Hatch
- Indirect lighting
- Mirror
- Queen size walk-around bed w/mattress
- Reading lights
- Side sliding windows w/screens
- Stereo speakers w/controls

MASTER HEAD

- Drapes
- Electric toilet
- Exhaust fan
- Indirect lighting
- Mirror
- Receptacle, 1 20V ground fault
- Stall shower
- Towel bar
- Vanity w/sink and storage
- Vinyl flooring

FORWARD STATEROOM

- Berth covers
- Carpeting
- Drapes
- Hanging locker
- Hatch w/screen
- Mirror
- Portlights w/screens
- Reading lights, 12V
- Stereo speakers w/controls
- Storage drawers

FORWARD HEAD

- Drapes
- Electric toilet
- Exhaust fan
- Indirect lighting
- Mirror
- Portlight w/screen
- Receptacle, 1 20V ground fault
- Stall shower
- Towel bar
- Vanity w/sink and storage

SAFETY & MISCELLANEOUS

- Aft deck fiberglass dodger sheet w/teak taff rail
- Anchor
- Anchor rode, 200' %" nylon
- Anti-fouling bottom paint
- Bow pulpit
- Bow rail
- Central vacuum system
- Depthfinder
- Dual air horns
- Fire extinguishers (3)
- Flag staff and ensign
- Freshwater washdown
- Grab rails
- Halon fire protection system, automatic and manual
- Knotmeter
- SSB grid
- Stainless steel bow chocks and cleats
- Swim platform, w/swim ladder
- Tempered glass, all windows
- VHF radio w/antenna
- Zincs on rudders

44' Motor Yacht'AI

Twin G.M. 6-71STI 366,000


OPTIONAL EQUIPMENT(AHc)

Aft Deck Controls	2,850
Bar w/Icemaker (Aft Deck)	2,290
Canvas	
Helm chair covers (2)	180
Salon carpet runner	180
Salon furniture covers	640
Decor	
Custom decor"	6,800
Decor kit, mini	2,015
Decor kit, maxi	4,605
Pillow shams (2)	320
Quilted bedspread (MSR)	1,100
Quilted bedspread (GSR)	700
Salon chair (Upholstered)	775
Salon love seat (Upholstered)	1,750
Teak parquet galley sole w/teak faced refrigerator	1,285
Electrical	
1 20 volt duplex receptacle	75
1 20 volt weatherproof receptacle	165
1 2 volt weatherproof receptacle	125
Electronics	
Fender Racks	670
Flybridge, Integrated Electronics Console	2,460
Redeck Seat w/cushions and cover	3,760
Glendinning Automatic Synchronizer	1,420
Glendinning Cable Master	1,400
Hardtop, Flybridge	8,490
Hardtop, Aft Deck w/Enclosure¹	11,075
Arch for hardtop	2,660
Heater, Electric (Each)	230

Lettering	
Transom	270
Bow	210
Lights	
Docking	635
12 volt step (2)	130
Remote spotlight	1,680
Paint, Micron bottom paint	1,190
Propellers (Spare)	1,680
Seawater Washdown	910
Shaft (Spare)	1,610
Television/Telephone	
Additional outlets (Each)	115
VCR (Built in)	
Beta	730
VHS	950
Washer & Dryer	2,040
Water Delivery Kie¹	425
Windlass:	
Model A, Chrome Capstan, w1200' 5/8" line	1,525
Model #ACW	2,150
Chain for Model #ACW (per ft.)	6
Windshield, Tempered Glass, Three-Piece	4,970
1/2-Valve Emergency Bilge Pumps (2)	820
Cradle, Launch and Make Ready, Fuel and Freight	
	(E)Additional
Interior Decor Selection:	
<input type="checkbox"/> Mauve & Melon <input type="checkbox"/> Creme de Menthe <input type="checkbox"/> Coral Sand	
<input type="checkbox"/> Misty Blue <input type="checkbox"/> Graphics <input type="checkbox"/> Custom	
Paint Selection:	
<input type="checkbox"/> Blue <input type="checkbox"/> Burgundy	

NOTES

- A The right is reserved to make changes, without notice, at anytime, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.
- B Capacities of tanks are estimates and usable volume will vary depending upon conditions.
- C These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.
- D Weight shown is calculated with fuel, water and holding tanks empty.
- E Prices available through dealer.
- F Includes electronics console, full enclosure w/3 forward horseshoe openings, and credit for standard bimini and enclosure.
- H Includes credit for standard.
- Includes mooring lines (5), life jackets (6 adult), life ring (21"), flare kit, fenders: 10" (2), engine oil (5 gal.), A.T. Fluid (2 qts.) (Gas), deck mop, deck brush, bucket, hose, nozzle, fuel filters: engines and generator, raw water pump impeller for main engine (1), Boat Soap (1 qt.) and Bilge Cleaner (1 qt.).
- Special electronics packages available for factory installation. See electronics brochure for details.
- P Includes wing doors.
- R Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.



VIKING ONE YEAR LIMITED WARRANTY

1. Viking warrants to the original purchaser, for a period of One (1) year, from the date of delivery. Eighteen(18) months from the date of shipment from the factory, or upon completion of Two Hundred (200) hours of operation, which ever comes first, the following:

That Viking will, through the selling dealer, replace or repair, at the discretion of Viking, any part or component, manufactured by Viking which is proven to the satisfaction of Viking to be defective, and which has occurred under normal use and service within the warranty period.

This writing is meant to be a complete and exclusive statement of the terms of all Viking warranties.

2. THERE ARE NO OTHER WARRANTIES EXPRESS OR IMPLIED THAT EXTEND BEYOND THE FACE OF THIS INSTRUMENT. VIKING RESTRICTS ITS WARRANTY TO REPAIR OR REPLACEMENT IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED. VIKING SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES CAUSED AS A RESULT OF ANY DEFECT IN WORKMANSHIP, REPAIR OR REPLACEMENT. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

3. Viking invites any purchaser to inspect the vessel before purchase, with any experts (mechanical or otherwise) to determine to the purchaser's satisfaction, the condition of the vessel prior to purchase.

4. The dealer is not the agent of Viking and Viking does not authorize the dealer, or any other person, to assume for Viking any liability in connection herewith or any liability or expenses incurred in the repairing of its product other than those expressly authorized herein. After an authorized dealer has been assigned by Viking for warranty work, reimbursement for labor costs provided by the dealer under the Viking warranty will be based upon a rate and schedule established by Viking. This reimbursement shall be through the selling dealer.

5. Viking reserves the right to improve its products through change and design or material without obligation to incorporate such change in boats of prior manufacture. Viking does not have a model year as such, and changes are incorporated in boats by the manufacturer as same are constructed from time to time. Viking does not warrant or represent that a particular boat is of a particular model year.

6. The defect must be reported to Viking in writing within Thirty (30) days of the discovery of same with the following information:

- ia) Owner's name and address;
- ib) Boat serial number (hull number);
- ic) Information as to nature of defect;
- id) Date actually placed in service;
- ie) Accumulated hours of days of service.

All warranty notice and other necessary communications in connection with this warranty should be sent to the following address:

Viking Yacht Company
Route 9
On the Bass River
New Gretna, New Jersey 08224

7. You may inquire regarding warranty coverage, etc., by means of the following:
- (a) Contacting the Viking dealer from which you purchased your Viking for an inspection of the problem involved.
 - aii) Delivering your Viking to the selling dealer for an examination on the premises.
 - (c) Contact the company at the above mentioned address.

B. All warranty claims for engines shall be presented directly to the engine manufacturer. Correspondence to the engine manufacturer shall include the engine serial number, date of purchase, dealer from whom purchased, accumulated hours, and description of the alleged defects. Copies of all correspondence shall be forwarded to Viking at the time of the original transmittal of same. Viking passes on any and all warranties of products or components which are not of Viking's manufacture and any warranty provided by the manufacturer is assigned to the owner, if possible.

9. Viking will not be responsible for any damage to a vessel, or parts thereof, which have been subjected to abuse or neglect, faulty installation by personnel not directly employed by Viking, lack of, or improper maintenance, or failures caused by accident.

10. This warranty shall not apply to:
- la) Products or components not manufactured by Viking.
 - lb) Parts altered in any manner from original manufacture.
 - lc) Fuel consumption or performance characteristics because they are merely estimates.
 - lid) Varnishes, gelcoats, paints, fabrics, chromium plated and stainless steel finishes because of differing climactic conditions.
 - le) Others than the first owner.
 - lf) Yachts in commercial use.
 - lg) Electronics or electronics installation.
 - lih) Canvas, enclosure or bimini installations.

VIKING YACHT COMPANY • Route 9 • New Gretna, N.J. 08224 • (609) 296-6000