

viking yachts



w/MM4

EFFECTIVE ON DELIVERIES
JANUARY 1, '87 THRU JULY 31, '87
PRICES SUBJECT TO CHANGE
WITHOUT NOTICE

viking 48' convertible
specifications

48' CONVERTIBLE SPECIFICATIONS^A

Length, overall (L.O.A.)	48'7"	14.81 meters	Height, waterline to top of flybridge windshield	12' 5"	3.78 meters
Length, overall (including Bow Pulpit)	52'7"	16.03 meters	Height, bottom of cradle to top of pilothouse	12' 10"	3.91 meters
Waterline length (L.O.W.)	44'4"	13.51 meters	Height, bottom of cradle to top of flybridge windshield	15' 11"	4.85 meters
Beam	16'0"	4.87 meters	Deadrise (Transom)	15.5 °	15.5 °
Draft	4'7"	1.37 meters	Gross Weight	45,500 pounds ...	20,638.80 kilos
Freeboard, forward	5'9"	1.75 meters	Fuel Capacity	680 gallons	2,574.00 liters
Freeboard, aft	3'5"	1.03 meters	Water Capacity	200 gallons	757.00 liters
Height, waterline to top of pilothouse	9'4"	2.84 meters			

STANDARD EQUIPMENT

CONSTRUCTION

- Hand laid-up, molded fiberglass hull, deck, deckhouse and flybridge w/end-grain balsa core in hull sides, decks and cabin top
- Solid keel, strakes and chines

MECHANICAL

- Acoustical and thermal insulation
- Air conditioning, zoned w/reverse Cycle heat
- Bilge pumps (3)
- Dockside water connection w/pressure reducing valve
- Engine room blowers
- External sea strainers
- Fresh water fill hose, engines and generator
- Fuel lines, flexible aircraft type
- Fuel/water separator filters
- FWC propulsion-engines, generator
- Glendinning automatic synchronizer
- Halon fire protection system-automatic and manual
- Holding tank w/dockside & overboard pumpout
- Hot water heater
- Hour meters
- Hydraulic steering
- Intermediate struts, manganese bronze
- Mufflers-engines and generator
- Oil changing system, engines and generator
- Propellers, Nibral
- Reinforced fiberglass fuel tanks
- Rudders, manganese bronze
- Seacocks, underwater thru hulls
- Shafts 1212Y." S.S. - double taper, Aquamet 22
- Structural steel engine beds
- Struts, manganese bronze
- Trim tabs, double piston
- Twin diesel engines w/reduction gearing
- Water lines, copper
- Water system, pressurized
- Water tanks, sanitized fiberglass, constant trim

ELECTRICAL

- Anchor light
- Batteries, heavy duty w/fiberglass box
- Battery charger
- Battery paralleling switch (diesel only)
- Bonded electrical system with ground plate
- Color coded wiring system
- Engine room lights
- Engine water temperature alarm, audible
- Generator(R)
- Generator control panel
- Instrument panel lights
- Lighting, 1 2V & 120V throughout
- Low oil pressure, audible
- Master control panel (AC/DC circuit breakers, voltmeters, ampmeters)
- Navigation lights
- Receptacles, 1 20V duplex
- Reverse polarity light
- Vaporproof battery switches
- 30A/ 1 20V dockside w/one 50' cord
- 50A/240V dockside w/one 50' cord

FLYBRIDGE

- Bimini top w/full enclosure, & three horseshoe openings
- Dual lever controls
- Handrails

- Helm seat, companion seat, adjustable
- Hydraulic steering
- Instrumentation, lighted
- Lighted 5" compass
- Lockers
- Lounge seats (two) w/vinyl covered foam cushions
- Molded fiberglass
- Safety monitoring system) fire, bilge pump, high bilge water, high exhaust temperature, bilge blower, generator and synchronizer
- Storage under seat (side only)
- Windshield venturi-type w/grab rail

COCKPIT

- Boarding box, fiberglass w/teak top
- Cable TV and telephone connection
- Dockside electric and water connection
- Fresh water washdown
- Ladder, one piece to flybridge
- Light in overhang
- Molded fiberglass
- Recessed cleats and hawse pipes
- Recessed fish boxes
- Rod holders 141
- Sea water washdown
- Self bailing cockpit
- Tackle cabinet w/sink and freezer
- Teak covering boards
- Walk-thru transom door

SALON

- Booth dinette
- Carpeting throughout
- Engine access hatch
- Entertainment system, w/color TV w/antenna, Beta Hi-Fi VCR, AM-FM stereo and cassette tape deck
- L-shaped lounge
- Lighting, 120V widimmer
- Mini blinds
- Sliding salon door
- Sliding side windows w/screens
- Storage cabinets
- Teak grab rail
- Teak interior
- Upholstered chair
- Upholstery and drapes, professionally designed

GALLEY

- Electric range, 3-burner
- Exhaust fan
- Garbage disposal
- Icemaker
- Instant hot water
- Microwave/convection oven
- Refrigerator/freezer 119 cu. ft.)
- Single lever hot and cold faucet
- Sink, stainless steel
- Storage cabinets and drawers
- Stowage for dishes and glasses
- Teak parquet flooring
- Water filter
- Water level gauge
- Water pump light

MASTER STATEROOM

- Carpeting throughout
- Hanging lockers
- Hatch
- Indirect lighting
- Large drawers under bed
- Queen-size walk-around bed w/mattress
- Reading lights, 1 2V

- Storage cabinets
- Storage drawers
- Stereo speakers w/controls

MASTER HEAD

- Electric toilet
- Exhaust fan
- Mirror
- Receptacle, 1 20V ground fault
- Stall shower
- Teak towel bar
- Vanity w/sink and storage
- Vinyl flooring

GUEST STATEROOM

- Berth covers
- Berth lights, 12V
- Carpeting
- Hanging locker
- Stereo speakers w/controls
- Storage drawers
- Upper and lower berths
- Vinyl headliner

GUEST STATEROOM (IN LIEU OF DINETTE)

- Berth covers
- Berth lights, 12V
- Carpeting
- Hanging locker
- Stereo speakers w/controls
- Storage drawers
- Upper and lower berths
- Vinyl headliner

GUEST HEAD

- Electric toilet
- Exhaust fan
- Mirror
- Receptacle, 1 20V ground fault
- Stall shower
- Teak towel bar
- Vanity w/sink and storage

SAFETY & MISCELLANEOUS

- Anchor
- Anchor chocks
- Anchor rode, 200' 3/4" nylon
- Anti-fouling bottom paint
- Bow pulpit
- Bow rail
- Central vacuum
- Depthfinder
- Dual air horns
- Fire extinguishers (3)
- Foredeck seat w/cushions and cover
- Grab rails
- Halon fire protection system, automatic and manual
- Knotmeter
- SSB grid
- Stainless steel bow cleats
- Stainless steel spring cleats 14)
- Stainless steel stern cleats 12)
- Tempered glass, all windows
- VHF radio w/antenna
- Zincs on rudders

COMPANIONWAY

- Central vacuum
- Lighting, 12V
- Storage locker
- Washer and dryer (Two Stateroom only)

48' Convertible'

Twin G.M. 6V-92TIB 416,000 Twin G.M.8V-92TIB 456,000

OPTIONAL EQUIPMENT('d

Canvas		Paint, Micron bottom paint	1,315
Salon carpet runner	180	Portlights (Each)	130
Helm chair covers (2)	180	Propellers, Spare (2)	1,670
Salon furniture covers	640	Shaft, Spare (1)	1,755
Decor		Stereo Speakers, Flybridge'	305
Custom decor"	6,800	Swim Platform	3,775
Decor kit, mini	3,055	Swim ladder	250
Decor kit, maxi	5,080	Teak Rod Racks (Salon)	130
Pillow shams (2)	320	Telephone/Television	
Quilted bedspread (MSR)	700	Additional outlets (Each)	115
Sleep sofa w/rod storage	450	Television	
ElectricalLR1		1 3" color TV built-in and additional antenna outlet	
1 20 volt duplex receptacle	75	in Master Stateroom	890
1 20 volt weatherproof receptacle	165	VCR, VHS in Lieu of Beta	220
1 2 volt weatherproof receptacle	125	Water Delivery Kit"	425
Electronics/		Windlass	
Fender Racks	670	Model BHW	2,920
Fishing Equipment		Chain for BHW (per ft.)	6
Center riggeO°	525	Y-Valve Emergency Bilge Pumps (2)	820
F/B rod rack	350	Cradle, Launch and Make Ready,	
Outriggers, Rupp w/spreaders	4,430	Fuel and Freight	(E Additional
Flybridge, Integrated Electronics Console¹ 2,460		Interior Decor Selection:	
Glendinning Cable Master	1,400	<input type="checkbox"/> Mauve & Melon <input type="checkbox"/> Creme de Menthe <input type="checkbox"/> Coral Sand	
Hardtop, Flybridge¹⁶	9,000	<input type="checkbox"/> Misty Blue <input type="checkbox"/> Graphics <input type="checkbox"/> Custom	
Heater, Electric (Each)	235	Paint Selection:	
Lettering		<input type="checkbox"/> Blue <input checked="" type="checkbox"/> Burgundy	
Transom	270		
Bow	210		
Lights			
Cockpit, indirect	345		
Docking	685		
Remote spotlight	1,680		
Spreader, cockpit	440		

NOTES

- A The right is reserved to make changes, without notice, at anytime, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.
- B Capacities of tanks are estimates and usable volume will vary depending upon conditions.
- C These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.
- D Weight shown is calculated with fuel, water and holding tanks empty.
- E Prices available through dealer.
- G Includes overhead electronics console, full enclosure w/3 forward openings, 1 2V lighting, cockpit flood lighting and credit for standard bimini top and enclosure.
- H Includes credit for standard.
- I Speeds are at factory under new boat test conditions. Speeds and other performance characteristics are not guaranteed or warranted.
- K Requires F/B hardtop.
- M Requires optional windshield.
- N includes mooring lines (5), life jackets (6 adult), life ring (21"), flare kit, fenders: 10" (2), engine oil (5 gal.), A.T. Fluid (2 qts.) (Gas), deck mop, deck brush, bucket, hose, nozzle, fuel filters: engines and generator, raw water pump impeller for main engine (11, Boat Soap (1 qt.) and Bilge Cleaner (1 qt.).
- O Special electronics packages available for factory installation. See electronics brochure for details.
- R Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.

Galley Up, Two Stateroom

Galley Up, Three Stateroom

VIKING ONE YEAR LIMITED WARRANTY

1. Viking warrants to the original purchaser, for a period of One(1) year, from the date of delivery, Eighteen (18) months from the date of shipment from the factory, or upon completion of Two Hundred (200) hours of operation, whichever ever comes first, the following:

That Viking will, **through the selling dealer**, replace or repair, at the discretion of Viking, any part or component, manufactured by Viking which is proven to the satisfaction of Viking to be defective, and which has occurred under normal use and service within the warranty period.

This writing is meant to be a complete and exclusive statement of the terms of all Viking warranties.

2. THERE ARE NO OTHER WARRANTIES EXPRESS OR IMPLIED THAT EXTEND BEYOND THE FACE OF THIS INSTRUMENT, VIKING RESTRICTS ITS WARRANTY TO REPAIR OR REPLACEMENT IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED. VIKING SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES CAUSED AS A RESULT OF ANY DEFECT IN WORKMANSHIP, REPAIR OR REPLACEMENT. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

3. Viking invites any purchaser to inspect the vessel before purchase, with any experts (mechanical or otherwise) to determine to the purchaser's satisfaction, the condition of the vessel prior to purchase.

4. The dealer is not the agent of Viking and Viking does not authorize the dealer, or any other person, to assume for Viking any liability in connection herewith or any liability or expenses incurred in the repairing of its product other than those expressly authorized herein. After an authorized dealer has been assigned by Viking for warranty work, reimbursement for labor costs provided by the dealer under the Viking warranty will be based upon a rate and schedule established by Viking. This reimbursement shall be through the selling dealer.

5- Viking reserves the right to improve its products through change and design or material without obligation to incorporate such change in boats of prior manufacture, Viking does not have a model year as such, and changes are incorporated in boats by the manufacturer as same are constructed from time to time. Viking does not warrant or represent that a particular boat is of a particular model year.

6. The defect must be reported to Viking in writing within Thirty (30) days of the discovery of same with the following information:

- (fe) Owner's name and address;
- (hi) Boat serial number (hull number);
- (el) Information as to nature of defect;
- (di) Date actually placed in service;
- (le) Accumulated hours of days of Semite.

All warranty notice and other necessary communications in connection with this warranty should be sent to the following address:

Viking Yacht Company
Route 9
On the Bass River
New Gretna, New Jersey 08224

7. You may inquire regarding warranty coverage, etc., by means of the following:
- (a) Contacting the Viking dealer from which you purchased your Viking for an inspection of the problem involved.
 - (hi) Delivering your Viking to the selling dealer for an examination on the premises.
 - (el) Contact the company at the above-mentioned address.

8. All warranty claims for engines shall be presented directly to the engine manufacturer. Correspondence to the engine manufacturer shall include the engine serial number, date of purchase, dealer from whom purchased, accumulated hours, and description of the alleged defects. Copies of all correspondence shall be forwarded to Viking at the time of the original transmittal of same. Viking passes on any and all warranties of products or components which are not of Viking's manufacture and any warranty provided by the manufacturer is assigned to the owner, if possible.

9. Viking will not be responsible for any damage to a vessel, or parts thereof, which have been subjected to abuse or neglect, faulty installation by personnel not directly employed by Viking, lack of, or improper maintenance, or failures caused by accident.

10. This warranty shall not apply to:

- (al) Products or components not manufactured by Viking.
- (hi) Parts altered in any manner from original manufacture.
- (cl) Fuel consumption or performance characteristics because they are merely estimates.
- (di) Varnishes, gelcoats, paints, fabrics, chromium Plated and stainless steel finishes because of differing climactic conditions
- (le) Others than the first owner.
- (01) Yachts in commercial use.
- (lgh) Electronics or electronics installation.
- (hl) Canvas, enclosure or bimini installations.

VIKING YACHT COMPANY • Route 9 • New Gretna, N.J. 08224 • 1609) 296-6000