

viking yachts



EFFECTIVE ON DELIVERIES
JANUARY 1, '87 THRU JULY 31, '87
PRICES SUBJECT TO CHANGE
WITHOUT NOTICE

viking 50' cockpit motor yacht specifications

50' COCKPIT MOTOR YACHT(A)

Length, overall (L.O.A.)	50'0"	15.25 meters.....	Height, waterline to top of flybridge windshield	12'5"	3.78 me'
Length, overall (including Bow Pulpit)	54'2"	15.52 meters.....	Height, waterline to top of hardtop arch	14'6"	4.42 meters
Waterline length (L.O.W.)	43'10"	12.37 meters	Deadrise (Transom)	15.5 °	15.5 °
Beam	15'0"	4.57 meters	Gross Weight, approx. ^P	43,000 pounds ...	18,504.80 kilos
Draft	4'0"	1.22 meters.....	Fuel Capacity ^f	680 gallons	2,557.20 liters
Freeboard, bow	5'8"	1.77 meters.....	Water Capacity ^(B)	180 gallons	681.30 liters
Freeboard, stern	3'4"	1.00 meters.....			

STANDARD EQUIPMENT

CONSTRUCTION

- Hand laid-up, molded fiberglass hull, deck, deckhouse and flybridge w/end-grain balsa core in hull sides, decks and cabin top
- Solid keel, strakes and chines

MECHANICAL

- Acoustical and thermal insulation
- Air conditioning, zoned w/reverse cycle heat
- Bilge pumps (3)
- Dockside water connection w/pressure reducing valve
- Engine room blowers
- External sea strainers
- Fresh water fill hose, engines and generator
- Fuel lines, flexible aircraft type
- Fuel manifold w/crossover valves
- Fuel tanks, reinforced fiberglass
- Fuel/water separator filters
- FWC propulsion-engines, generator
- Halon fire protection system, automatic & manual
- Holding tank w/dockside and overboard pumpout
- Hot water heater
- Hour meters
- Hydraulic steering
- Intermediate struts, manganese bronze
- Mufflers, engines and generator
- Oil exchange system, engines and generator
- Propellers, Nibral
- Remote start/stop for generator
- Rudders, manganese bronze
- Seacocks, underwater thru hulls
- Shafts, 2" stainless steel, double taper, Aquamet 22
- Structural steel engine beds
- Struts, manganese bronze
- Trim tabs, double piston
- Twin engines yr/reduction gearing
- Water lines, copper
- Water system, pressurized
- Water tanks, sanitized fiberglass. constant trim

ELECTRICAL

- Anchor light
- Batteries, heavy duty w/fiberglass box
- Battery charger
- Battery paralleling switch
- Bonded electrical system with ground plate
- Cable TV and telephone connection dockside
- Color coded wiring system
- Engine room lights
- Engine water temperature alarm, audible
- Generator
- Generator control panel
- Instrument panel lights
- Lighting, interior, 1 20V and 12V throughout
- Low oil pressure, audible
- Master control panel (AC/DC circuit breakers, voltmeters, ampmeters)
- Navigation lights
- Receptacles, 1 20V duplex
- Reverse polarity light
- Vaporproof battery switches
- 30A/120V dockside w/one 50' cord
- 50A/240V dockside w/one 50' cord

FLYBRIDGE

- Bimini top w/full enclosure & three horseshoe openings

- Dual lever controls
- Hand rails
- Helm seat and companion seat, adjustable
- Hydraulic steering
- Instrumentation, lighted
- Lighted 5" compass
- Lounge seats (two) w/vinyl covered foam cushions
- Molded fiberglass
- Safety monitoring system: fire, bilge pump, high bilge water, high exhaust temperature, bilge blower, generator and synchronizer
- Stereo speakers wicontrols
- Storage lockers
- Storage under seat, side only
- Windshield, venturi-type w/grab rail

COCKPIT

- Cable TV and telephone connection
- Dockside electric and water connection
- Fresh water washdown
- Molded fiberglass
- Recessed cleats and hawse pipes
- Rod holders (4)
- Sea water washdown
- Self baiting
- Teak boarding ladder
- Transom door, walk through

SALON

- Bar w/wicemaker
- Carpeting throughout
- Engine access hatches
- Entertainment system, w/color TV w/antenna, AM-FM stereo & cassette tape deck
- L-shaped lounge, convertible
- Lighting, 1 20V w/dimmer
- Main electrical panel
- Mini blinds
- Remote generator control
- Sliding side windows w/screens
- Storage cabinets
- Teak grab rail
- Teak interior
- Upholstery and drapes, professionally designed

GALLEY

- Electric range, 3 burner
- Exhaust fan
- Garbage disposal
- Hatch w/screen
- Instant hot water
- Microwave/convection oven
- Refrigerator/freezer
- Single lever hot and cold faucet
- Sink, stainless steel
- Storage bin
- Storage cabinets and drawers
- Vinyl flooring
- Water filter
- Water level gauge
- Water pump light

DINETTE

- Hatch w/screen
- Portlight w/screen
- Storage bins under seats
- Storage locker

- U-shaped upholstered lounge w/teak table, converts to double bed

MASTER STATEROOM

- Carpeting throughout
- Drapes
- Drawers and cabinet storage
- Hatch
- Hanging lockers
- Indirect lighting
- Mirror
- Queen size walk-around bed w/mattress
- Reading lights
- Side sliding windows w/screens
- Stereo speakers wicontrols

MASTER HEAD

- Drapes
- Electric toilet
- Exhaust fan
- Indirect lighting
- Mirror
- Receptacle, 1 20V ground fault
- Stall shower
- Towel bar
- Vanity w/sink and storage
- Vinyl flooring

FORWARD STATEROOM

- Carpeting
- Drapes
- Hanging locker
- Hatch w/screen
- Mirror
- Portlights w/screens
- Reading lights, 1 2V
- Stereo speakers w/controls
- Storage drawers

FORWARD HEAD

- Drapes
- Electric toilet
- Exhaust fan
- Indirect lighting
- Mirror
- Portlight w/screen
- Receptacle, 1 20V ground fault
- Stall shower
- Towel bar
- Vanity w/sink and storage

SAFETY & MISCELLANEOUS

- Aft deck fiberglass dodger sheet w/teak taff rail
- Anchor
- Anchor rode, 200' nylon
- Anti-fouling bottom paint
- Bow pulpit
- Bow rail
- Central vacuum system
- Depthfinder
- Dual air horns
- Fire extinguishers (3)
- Flag staff and ensign
- Grab rails
- Halon fire protection system, automatic & menu'
- Knotmeter
- SSB grid
- Stainless steel bow chocks and cleats
- Tempered glass, all windows
- VHF radio, w/antenna
- Zincs on rudders

50' Cockpit Motor Yacht(A)

Twin G.M., 6-71STI 411,000

OPTIONAL EQUIPMENT("cl

part Deck Controls 2,850

Bar w/Icemaker (Aft Deck) 2,290

Canvas

Helm chair covers (2) 180

Salon carpet runner 180

Salon furniture covers 640

Decor

Custom decor" 6,800

Decor kit, mini 2,015

Decor kit, maxi 4,605

Pillow shams (2) 320

Quilted bedspread (MSR) 1,100

Quilted bedspread (GSR) 700

Salon chair (upholstered) 775

Salon love seat (upholstered) 1,750

Teak parquet galley sole w/teak faced refrigerator 1,285

Electrical R/

120 volt duplex receptacle 75

120 volt weatherproof receptacle 165

12 volt weatherproof receptacle 125

Electronics/

Fender Racks 670

Fishing Equipment

FIB rod rack 350

Cockpit flood lights 420

bridge, Integrated Electronics Console¹⁰ 2,460

Foredeck Seat w/cushions and cover 3,760

Glendinning Automatic Synchronizer 1,420

Glendinning Cable Master 1,400

Hardtop, Flybridge^{1F)} 8,490

Hardtop, Aft Deck w/Enclosure 1,075

Arch for hardtop 2,660

Heater, Electric (Each) 230

Lettering

Transom 270

Bow 210

Lights

Docking 635

12 volt step (2) 130

Remote spotlight 1,680

Paint, Micron bottom paint 1,350

Propellers (Spare) 1,680

Shaft (Spare) 1,610

Swim Platform 3,570

Swim ladder 250

Television/Telephone

Additional outlets (Each) 115

VCR (Built in)

Beta 730

VHS 950

Washer & Dryer 2,040

Water Delivery Kit 425

Windlass

Model BHW 2,920

Model A, w/200' 3/4" line 1,630

Chain for BHW (per ft.) 6

Windshield, Tempered Glass, Three-Piece 4,970

1⁹-Valve Emergency Bilge Pumps (2) 820

Cradle, Launch and Make Ready,

Fuel and Freight (F)Additional

Interior Decor Selection:

Mauve & Melon Creme de Menthe Coral Sand

Misty Blue Graphics Custom

Paint Selection:

Blue Burgundy

NOTES

A The right is reserved to make changes, without notice, at anytime, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.

B Capacities of tanks are estimates and usable volume will vary depending upon conditions.

C These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.

D Weight shown is calculated with fuel, water and holding tanks empty.

E Prices available through dealer.

F Includes electronics console, full enclosure w/3 forward horseshoe openings, 1 2V lighting and credit for standard bimini and enclosure.


H Includes credit for standard.

Includes mooring lines (5), life jackets (6 adult), life ring (21"), flare kit, fenders: 10" (2), engine oil (5 gal.), A.T. Fluid (2 qts.) (Gas), deck mop, deck brush, bucket, hose, nozzle, fuel filters: engines and generator, raw water pump impeller for main engine (1), Boat Soap (1 qt.) and Bilge Cleaner (1 qt.).

O Special electronics packages available for factory installation. See electronics brochure for details.

P Includes wing doors.

R Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.



VIKING ONE YEAR LIMITED WARRANTY

1. Viking warrants to the original purchaser, for a period of One (1) year, from the date of delivery, Eighteen (18) months from the date of shipment from the factory, or upon completion of Two Hundred (200) hours of operation, whichever ever comes first, the following:

That Viking will, through the selling dealer, replace or repair, at the discretion of Viking, any part or component, manufactured by Viking which is proven to the satisfaction of Viking to be defective, and which has occurred under normal use and service within the warranty period.

This writing is meant to be a complete and exclusive statement of the terms of all Viking warranties.

2. THERE ARE NO OTHER WARRANTIES EXPRESS OR IMPLIED THAT EXTEND BEYOND THE FACE OF THIS INSTRUMENT. VIKING RESTRICTS ITS WARRANTY TO REPAIR OR REPLACEMENT IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED. VIKING SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES CAUSED AS A RESULT OF ANY DEFECT IN WORKMANSHIP, REPAIR OR REPLACEMENT. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

3. Viking invites any purchaser to inspect the vessel before purchase, with any experts (mechanical or otherwise) to determine to the purchaser's satisfaction, the condition of the vessel prior to purchase.

4. The dealer is not the agent of Viking and Viking does not authorize the dealer, or any other person, to assume for Viking any liability in connection herewith or any liability or expenses incurred in the repairing of its product other than those expressly authorized herein. After an authorized dealer has been assigned by Viking for warranty work, reimbursement for labor costs provided by the dealer under the Viking warranty will be based upon a rate and schedule established by Viking. This reimbursement shall be through the selling dealer.

5. Viking reserves the right to improve its products through change and design or material without obligation to incorporate such change in boats of prior manufacture. Viking does not have a model year as such, and changes are incorporated in boats by the manufacturer as same are constructed from time to time. Viking does not warrant or represent that a particular boat is of a particular model year.

6. The defect must be reported to Viking in writing within Thirty (30) days of the discovery of same with the following information:

- (a) Owner's name and address;
- (b) Boat serial number (hull number);
- (c) Information as to nature of defect;
- (d) Date actually placed in service;
Accumulated hours of days of service.

All warranty notice and other necessary communications in connection with this warranty should be sent to the following address:

Viking Yacht Company
Route 9
On the Bass River
New Gretna, New Jersey 08224

7. You may inquire regarding warranty coverage, etc., by means of the following:

- (a) Contacting the Viking dealer from which you purchased your Viking for an inspection of the problem involved.
- (b) Delivering your Viking to the selling dealer for an examination on the premises.
- (c) Contact the company at the above-mentioned address.

8. All warranty claims for engines shall be presented directly to the engine manufacturer. Correspondence to the engine manufacturer shall include the engine serial number, date of purchase, dealer from whom purchased, accumulated hours, and description of the alleged defects. Copies of all correspondence shall be forwarded to Viking at the time of the original transmittal of same. Viking passes on any and all warranties of products or components which are not of Viking's manufacture and any warranty provided by the manufacturer is assigned to the owner, if possible.

9. Viking will not be responsible for any damage to a vessel, or parts thereof, which have been subjected to abuse or neglect, faulty installation by personnel not directly employed by Viking, lack of, or improper maintenance, or failures caused by accident.

10. This warranty shall not apply to:

- (a) Products or components not manufactured by Viking.
- (b) Parts altered in any manner from original manufacture.
- (c) Fuel consumption or performance characteristics because they are merely estimates.
- (d) Varnishes, gelcoats, paints, fabrics, chromium plated and stainless steel finishes because of differing climactic conditions.
- (e) Others than the first owner.
- (f) Yachts in commercial use.
- (g) Electronics or electronics installation.
- (h) Canvas, enclosure or Bimini installations.

VIKING YACHT COMPANY • Route 9 • New Gretna, N.J. 08224 • (609) 296-6000