

# viking yachts



EFFECTIVE ON DELIVERIES  
JANUARY 1, 1990 THRU JULY 31, 1990  
PRICES SUBJECT TO CHANGE  
WITHOUT NOTICE

## viking 50' motor yacht specifications

# 50' MOTOR YACHT'

Length, overall (L.O.A.)	50'6" .....	15.39 meters	Height from water line to top of radar arch .....	20'	6.10 meters
Length, overall (including Bow Pulpit and Swim Platform)	56'8" .....	17.27 meters	Height from water line to top of flybridge windshield .....	16'11"	516 meters
Waterline length	43'1" .....	13.13 meters	Degree of dead rise at transom	14°	
Beam	16'4" .....	4.98 meters	Gross Weight <sup>(D)</sup>	54,000 pounds	24,949 kilos
Draft	4'3" .....	1.03 meters	Fuel Capacity <sup>(B)</sup>	570 gallons	2,157 liters
Freeboard, forward	7'1" .....	2.16 meters	Water Capacity <sup>(B)</sup>	250 gallons	946 liters
Freeboard, stern	6'1" .....	1.85 meters			

## STANDARD EQUIPMENT

### CONSTRUCTION

- Hand laid-up, molded undirectional fiberglass hull, deck, deckhouse and flybridge w/lend-grain balsa core
- Solid keel and chines

### MECHANICAL

- Acoustical and thermal insulation
- Air conditioning, with reverse cycle heat
- Bilge pumps, 12 volt (3)
- Dockside water connection w/pressure reducing valve
- Engine room blowers
- External sea strainers
- Fresh water outlet in engine room
- Fresh water washdown on foredeck, quick disconnect
- Fuel lines, flexible aircraft type
- Fuel priming pumps (w)
- Fuel/Water separators, main engine and generator
- Fresh water cooled - engines and generator
- Halon fire protection system - automatic/manual
- Holding tank with dockside and overboard pumpout
- Hot water heater
- Hour meters
- Hydraulic steering
- Main and intermediate struts
- Mufflers - engines and generator
- Propellers, four blade
- Reinforced fiberglass fuel tank
- Seacocks, underwater thru hulls
- Shafts (2) "Aguamet TM 27"
- Structural steel engine beds
- Trim tabs, double piston
- Twin Diesel engines wired/reduction gearing
- Water system, pressurized
- Water tank, fiberglass

### ELECTRICAL

- Anchor light
- Batteries, heavy duty marine
- Battery charger, 12 volt
- Bonded electrical system
- Color coded wiring system
- Twin 50 Amp/240V dockside inlets with 50' cord
- Engine room lights
- Engine water temperature alarms, audible
- Generator(R) 20KW
- Generator control panel
- Instrument panel lights
- Lighting, 12V & 120V
- Low engine oil pressure, audible
- Master control panel (AC/DC circuit breakers, voltmeters, ammeters)
- Navigation lights
- Receptacles, 120V duplex
- Vaporproof battery switches
- Telephone and CATV inlets, 50' cord

### FLYBRIDGE

- Dual lever controls

- Fire system control
- Handrails
- Helm seat, adjustable
- Hydraulic steering
- Instrumentation, lighted
- Lighted digital flux gate compass
- Lockers
- Molded fiberglass lounge seating
- Systems monitor: fire, bilge pump, high bilge water, high exhaust temperature, engine water temperature, engine oil pressure, reduction gear pressure, reduction gear temperature, and generator
- Windshield w/grab rail

### DINING AREA

- Dinette - L shaped seating
- Lighting
- Storage

### MAIN SALON

- Carpeting
- L-Shaped lounge
- Lighting
- Mini blinds
- Sliding windows
- Stairway access to master stateroom and engine room
- Teak interior
- Telephone outlet
- Television. AM..FM stereo with cassette
- Valance boards
- Window drapery

### GALLEY

- Electric range
- Exhaust fan
- Microwave/convection oven
- Refrigerator/freezer
- Single lever hot and cold faucet
- Sink, double bin stainless steel
- Storage cabinets and drawers, Conan trimmed
- Stowage for dishes and glasses
- Water filter

### MASTER STATEROOM

- Bureaus
- Carpeting
- Hatch to aft deck
- His and Hers closets, cedar lined & lighted
- Indirect lighting
- King-size walk-around bed w/mattress
- Reading lights. 12V
- Storage cabinets
- Storage drawers
- Beveled mirror headboard

### MASTER HEAD

- Bathub with shower
- Exhaust fan
- Marine toilet
- Mirror
- Private access

- Receptacle, 120V ground fault
- Towel bar
- Vanity with sink and storage

### GUEST STATEROOM (MID)

- Carpeting
- Full double bed with mattress
- Hanging locker, cedar lined
- Indirect lighting
- Mirror
- Storage drawers

### GUEST HEAD (MID)

- Exhaust fan
- Marine toilet
- Mirror
- Private access
- Receptacle, 120V ground fault
- Stall shower
- Towel ring
- Vanity with sink and storage

### GUEST STATEROOM (FORWARD)

- Carpeting
- Hanging locker, cedar lined
- Mirror
- Reading lights
- Storage drawers
- Upper & lower berths

### GUEST HEAD (FORWARD)

- Exhaust fan
- Marine toilet
- Mirror
- Private access
- Receptacle, 120V ground fault
- Stall shower
- Towel ring
- Vanity with sink and storage

### SAFETY & MISCELLANEOUS

- Anchor
- Anchor rode and chain
- Anti-fouling bottom paint
- Bow pulpit
- Bow rail
- Depthlinder
- Dual electric horns
- Fire extinguishers (3)
- Knotmeter with log
- Laminated safety glass, pilothouse windshield
- SSB grid
- Stainless steel bow, spring and stern cleats
- Tempered glass, side and aft windows
- VHF radio %A/antenna
- Vacuum flush toilets
- Vinyl headliner
- Zinc, transom plate

# 50' MOTOR YACHT(A)

Twin D.D.0 6V92'

Twin D.D.0 8V92\*\*

## OPTIONAL EQUIPMENT''(co)

<b>CANVAS</b>			
Aft deck enclosure .....	4,645	<b>GLASS, TINTED</b> (side and aft windows) .....	1,390
Console cover .....	180	<b>HEAD - MASTER STATEROOM</b>	
Helmchair covers, each .....	115	Whirlpool pump in Master bathtub .....	3,240
Flybridge seating group covers .....	425	<b>LETTERING</b>	
Foredeck lounge cover .....	355	Bow .....	410
Pilothouse windshield cover .....	265	Transom .....	410
<b>DECK</b>		<b>LIGHTS</b>	
Boston Whaler 11' with 20HP electric start		Docking .....	825
outboard, and chocks .....	10,780	Pilothouse step lights (2) .....	130
Davit, electric low profile with remote control .....	10,790	Spotlight, halogen with dual remote control .....	2,200
Fender tracks, sliding, port and starboard .....	990	<b>MECHANICAL</b>	
Fresh water H&C shower .....	605	A/C SMX controls per zone .....	590
Ladder, boarding with mounts port and starboard .....	1,565	Engine room gauge package (xj) .....	2,605
Radar arch, welded aluminum .....	10,890	Fuel priming pumps .....	900
<b>DECORS)</b>		Glendinning synchronizers .....	1,560
Custom decor <sup>H)</sup> .....	POR	Manifold fuel filters .....	1,600
Decor kit, mini .....	Addl.	Oil changing system .....	900
Decor kit, maxi .....	Addl.	<b>MISCELLANEOUS</b>	
Luxury edition .....	5,800	Central vacuum .....	1,875
Pillow shams (2) .....	\$320 w/applique 420	Lower helm station .....	8,925
Quilted bedspread (MSR) .....	1,100	Swim ladder .....	250
Quilted bedspread (GSR) (DBL) .....	700	Swim platform .....	5110
Quilted bedspread (U&L) .....	450	Washer/Dryer .....	2,250
Salon chair (upholstered) .....	775	<b>PERM-A-PUB</b> (main salon, bar) .....	630
Sculptured carpet .....	POR	<b>PROPELLERS, SPARE</b> (2) .....	4,925
Suede sofa (STD decor) .....	705	<b>SALON</b>	
<b>ELECTRICAL(R)</b>		Compact disc player .....	950
120 volt duplex receptacle .....	125	VCR .....	950
12 volt weatherproof receptacle .....	365	Wet bar with icemaker .....	4,900
12 volt weatherproof receptacle .....	355	<b>SHAFT, SPARE</b> (1) .....	4,300
Fuel system priming pumps IWI .....	1,080	<b>STATEROOM, (Master or Mid Guest)</b>	
Glendinning cablingmaster, dual, (220 volt 50 amp) .....	4,730	Cabinet, entertainment w/one way mirror, compact disc	
<b>ELECTRONICSIE)</b>		player, stereo system AM/FM, Tape deck, cassette,	
Datamarine Link 6100 (IPO STD DF1KM) .....	960	television (color 13" w' remote) and VCR .....	3,935
Icom M120 VHF (IPO STD) .....	660	<b>WASHDOWN</b>	
<b>ENGINES</b>		Seawater .....	995
Detroit Diesel extended service coverage* (6V92) {u) .....	1,590	Freshwater .....	350
Detroit Diesel extended service coverage** (8V92) (U) .....	2,190	<b>WATER DELIVERY KIT<sup>NI</sup></b> .....	465
<b>FORWARD OPTIONAL LAYOUT</b> (See drawing) .....	7,900	Water delivery kit w/76 piece tool set .....	625
<b>FLYBRIDGE</b>		<b>WINDLASS MODEL BHW</b> .....	3,210
Bimini top .....	2,965	Chain for BHW (per ft) .....	7
Bimini top enclosure .....	4,500	<b>Y-VALVE EMERGENCY BILGE PUMPS</b> (2) .....	820
Companion seats, additional, each .....	815	<b>LAUNCH AND MAKE READY,</b>	
Hydraulic controls (standard with lower station) .....	1,925	<b>FUEL &amp; FREIGHT<sup>S)</sup></b> .....	Additional
<b>FUEL, ADDITIONAL 200 GALLONS</b> .....	4,920		
<b>GALLEY</b>			
Dishwasher .....	975		
Garbage disposal .....	420		
Trash compactor .....	1,090		
Instant hot water .....	400		

### NOTES:


- A The right is reserved to make changes, without notice at anytime, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.
- B Capacities of tanks are estimates and usable volume will vary depending upon conditions.
- C These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.
- D Weight shown is calculated with fuel, water and holding tanks empty.
- E Prices available through Dealer.
- H Includes credit for standard.
- N Includes life jackets (6 adult), life ring (21"), flare kit, fenders: 10" (2), engine oil (5 gal.), deck mop, deck brush, bucket, hose, nozzle, fuel filters: engine and generator, raw water pump impeller for main engine (1), Boat Soap, (1 qt.) and Bilge Cleaner (1 qt.).
- R Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.
- S In order to offer the full range of decor and paint: selections are required with initial order.
- U Net Detroit Diesel cost.
- W Standard priming pump will only prime injector rack.
- X Includes engine oil temperature, engine water temperature, engine oil pressure, voltmeter, drive oil pressure, drive oil temperature, engine hour meter, fuel filter VAC restriction, start and stop switches, digital tachometer.



MAIN DECK



LOWER DECK



BRIDGE DECK

### VIKING ONE YEAR LIMITED WARRANTY

1. Viking warrants to the original purchaser, for a period of One (1) year, from the date of delivery. Eighteen (18) months from the date of shipment born the factory, or upon completion of Two Hundred (200) hours of operation, whichever comes first, the following:

That Viking will, through the selling dealer, replace or repair, at the discretion of Viking, any part or component, manufactured by Viking which is proven to the satisfaction of Viking to be defective, and which has occurred under normal use and service within the warranty period.

This writing is meant to be a complete and exclusive statement of the terms of all Viking warranties.

2. THERE ARE NO OTHER WARRANTIES EXPRESS OR IMPLIED THAT EXTEND BEYOND THE FACE OF THIS INSTRUMENT VIKING RESTRICTS ITS WARRANTY TO REPAIR OR REPLACEMENT IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED. VIKING SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES CAUSED AS A RESULT OF ANY DEFECT IN WORKMANSHIP REPAIR OR REPLACEMENT. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE

3. Viking invites any purchaser to inspect the vessel before purchase, with any experts (mechanical or otherwise) to determine to the purchaser's satisfaction, the condition of the vessel prior to purchase.

4. The dealer is not the agent of Viking and Viking does not authorize the dealer, or any other person, to assume or Viking any liability in connection herewith or any liability or expenses incurred in the repairing of its product other than those expressly authorized herein. After an authorized dealer has been assigned by Viking for warranty work, reimbursement for labor costs provided by the dealer under the Viking warranty will be based upon a rate and schedule established by Viking. This reimbursement shall be through the selling dealer.

5. Viking reserves the right to improve its products through change and design or material without obligation to incorporate such change in boats of prior manufacture. Viking does not have a model year as such, and changes are incorporated in boats by the manufacturer as same are constructed from time to time. Viking does not warrant or represent that a particular boat is of a particular model year.

6. The defect must be reported to Viking in writing within Thirty (30) days of the discovery of same with the following information:

- (a) Owner's name and address;

- (h) Boat serial number (hull number);
- (c) Information as to nature of defect
- (d) Date actually placed in service,
- (e) Accumulated hours of days of service

All warranty notice and other necessary communications in connection with this warranty should be sent to the following address:

Viking Yacht Company  
Route 9  
On the Bass River  
New Gretna, New Jersey 08224

- 7. You may inquire regarding warranty coverage, etc. by means of the following:
  - (a) Contacting the Viking dealer from which you purchased your Viking for an inspection of the problem involved
  - (b) Delivering your Viking to the selling dealer for an examination on the premises.
  - (c) Contact the company at the above-mentioned address.

8. All warranty claims for engines shall be presented directly to the engine manufacturer. Correspondence to the engine manufacturer shall include the engine serial number, date of purchase, dealer from whom purchased, accumulated hours, and description of the alleged defects. Copies of all correspondence shall be forwarded to Viking at the same time of the original transmittal of same. Viking passes on any and all warranties of products or components which are not of Viking's manufacture and any warranty provided by the manufacturer is assigned to the owner, if possible.

9. Viking will not be responsible for any damage to a vessel, or parts thereof, which have been subjected to abuse or neglect, faulty installation by personnel not directly employed by Viking, lack of, or improper maintenance, or failures caused by accident.

- 10. This warranty shall not apply to:
  - (a) Products or components not manufactured by Viking
  - (E) Parts altered in any manner from original manufacture
  - (c) Fuel consumption or performance characteristics because they are merely estimates.
  - (d) Varnishes, galcoals, paints, fabrics, chromium plated and stainless steel finishes because of differing climatic conditions.
  - (e) Others than the first owner
  - (f) Yachts in commercial use.
  - (g) Electronics or electronics installation.
  - (h) Canvas, enclosure or bimini installations.
  - (i) The cost of removal or re-installment of parts or components.
  - (j) Yachts sold and registered outside the legal jurisdiction of the United States,